

तार- "विस्फोटक", नागपूर
Telegram: 'EXPLOSIVES', Nagpur
Website : http://peso.gov.in
Email: explosives@explosives.gov.in
दूरभाष/ Telephone : 0712-2510248
फैक्स/ FAX : 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि "मुख्य विस्फोटक नियंत्रक" के पदनाम से भेजे जाए उनके व्यक्तिगत नाम से नहीं।
All communications intended for this Office should be addressed to the 'Chief Controller of Explosives' and NOT to him by name.



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन

PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION

(पूर्व नाम - विस्फोटक विभाग)

(Formerly- Department of Explosives)

ए-ब्लॉक पाँचवा तल, केन्द्रीय कार्यालय परिसर

A Block, 5th Floor, CGO Complex,

सेमिनरी हिल्स, नागपूर - 440 006 (महा)

Seminary Hills, Nagpur- 440006

संख्या /No. A/P/HQ/MH/104/6029(P430502)

दिनांक /Nagpur, dated : 13/03/2019

To,

M/s. Emerson Process Management (India) Private Limited,
J-525, M.I.D.C. Industrial Area Bhosari,
District Pune -- 411 026 (Maharashtra).

12-0 MAR 2019

Sub: Approval of flameproof equipment under Petroleum Rules, 2002 – Issue of attested copy of approval No. A/P/HQ/MH/104/6029(P430502) - Regarding.

Dear Sir(s),

Please refer to your letter No. Nil dated 25/02/2019, on the subject cited above.

A copy of approval letter No. A/P/HQ/MH/104/6029(P430502) dated 06/11/2018 duly attested is forwarded herewith as desired by you.

Yours faithfully,

(R. A. Gujar)

Dy. Chief Controller of Explosives
for Chief Controller of Explosives



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006



E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/6029 (P430502)

Dated : 06/11/2018

To,

M/s. Biffi Italia s.r.l.,
STRADA BIFFI 165 I 29017 FIORENUOLA D ARDA(PC),FIORENUOLA
29017 biffi_italia@biffi.it
ITALY

9 NOV 2018
[Signature]

Sub : Approval of Flame Proof, Intrinsically Safe Type E under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. OIN202218 dated 05/10/2018 on the subject.

The following Ex electrical equipment(s) manufactured by you according to EN 60079-0 : 2012/A11 : 2013, EN 60079-1 : 2014, EN 60079-11 : 2012, standards and covered under INERIS Test reports mentioned below is/are approved for use in Zone 1 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

| Sr. No | Description | Safety Protection | Equipment reference Number | Test Agency | | | Drawing no |
|--------|---|--------------------------------|----------------------------|-------------|--------------------|------------------|--------------------|
| | | | | Name | Certificate No. | Certificate Date | |
| 1 | Actionneur Electrique Type ICON3000.... ou ICON3000AD.... ou ICON3000LP.... Electrical Actuator Type ICON3000.... or ICON3000AD.... or ICON3000LP.... | Ex db h or db h ia II(*) T4 Gb | P430502/1 | INERIS | INERIS 18ATEX0031X | 13/07/2018 | As per Test Report |

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the INERIS Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the INERIS applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the INERIS Test report and is identical with the one tested and certified at INERIS shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by INERIS in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative M/s. Emerson Process Management (India) Private Limited, J-525, M.I.D.C. Industrial Area, Bhosari, Pune 411 026 (Maharashtra)

This approval also covers the permissible variations as approved under the INERIS test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto 31/12/2022

[Handwritten Signature]
[Handwritten Signature]
कृते मुख्य विस्फोटक निरीक्षक
For Chief Controller of Explosives

Yours faithfully,

(R.A.GUJAR)
Dy. Chief Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
- 2.M/s. Emerson Process Management (India) Private Limited, J-525, M.I.D.C. Industrial Area, Bhosari, Pune 411 026 (Maharashtra)

[Handwritten Signature]
for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.

[Handwritten Signature]
A26/11